Construct Validity and Reliability of Attitudes towards Chemistry of Science Teacher Candidates

Woro Sumarni¹, Endang Susilaningsih², Yeri Sutopo³

^{1,2} Department of Chemistry, Faculty of Mathematics and Natural Science, Universitas Negeri Semarang, Indonesia ³ Department of Mechanical Engineering, Faculty of Engineering, Universitas Negeri Semarang, Indonesia

ABSTRACT **Article Info** Developing students' positive attitude toward learning is one of the important Article history: things, because some researchers mention that attitudes toward the subjects Received Nov 18, 2017 are related to academic achievement. Teachers, in the implementation of Revised Jan 22, 2018 learning can evaluate attitudes toward the subjects, in order to know how Accepted Feb 12, 2018 students' attitude toward learning that is/has been going on. Therefore, an attitude assessment is required for valid, reliable and practical learning. The purpose of this research is to develop a Likert scale type questionnaire that Keyword: can measure students' attitudes toward chemistry. In this study initially has been compiled as many as 43 items. The items in the present scale were Attitudes towards chemistry adapted from the Test of Science-Related Attitudes (TOSRA) and Attitudes Attitudes Towards Chemistry towards Chemistry Lessons Scale (ATCLS). After the contents validation of Lessons Scale (ATCLS) the questionnaire by the expert, the questionnaire is tested on 245 college Factor analysis students. Determination of construct validity which is conducted with Test of Science-Related exploratory factor analysis obtained 32 items valid question. The result of Attitudes (TOSRA) factor analysis shows that the scale has nine factors that explain 62.105% of the total variance. In addition, it shows the finding of 'reliability coefficient (Cronbach' alpha) of 0.91. The results obtained showed that it has obtained valid and reliable questionnaires as a measuring tool that can be used to student attitudes toward chemistry determine in chemistry foodstuffs lectures. Copyright © 2018 Institute of Advanced Engineering and Science. All rights reserved. **Corresponding Author:**

Woro Sumarni, Department of Chemistry, Universitas Negeri Semarang, D6 Building, 2nd Floor, Sekaran Campus, Gunungpati, Semarang, Central Java, Indonesia. Email: woro@mail.unnes.ac.id

1. INTRODUCTION

Attitude toward science is one of important parts to generated students who are able to think scientifically as the scientist. The results of the study [1] indicate that the former success in chemistry courses as well as achievement in middle school had effects on high school students' intellectual and emotional attitudes toward chemistry. This finding supports the pattern established by previous research, suggesting that attitude and achievement are related.

Students who are negatively behave toward Science, for example, are not interested or afraid of causing them to fail in Science. Statements such as "I love chemistry" or "I hate chemistry" show positive or negative feelings toward chemistry. Various objects can be related to attitudes about science lessons, scientists, science in real life, the chemistry as a school subject, and etc. For example, students' attitudes toward chemistry as a branch of science and as a school subject may be different in nature and level. The attitude is a psychological construct which has cognitive, affective and behavioral components [2]-[4]. In Indonesia, based on the Regulation of the Minister of Education and Culture of the Republic of Indonesia number 65 of 2013, aspects of attitude consists of receiving, running, cherish, appreciate, and

39

practice. Therefore, the aspect of attitudes in the chemistry study will be useful to improve the quality of learning chemistry.

Assessment is required to evaluate the attitudes toward lessons. There are several attitude assessments that are commonly used to evaluate attitudes. For instance, the Chemistry Attitude Scale (CAS) is a 76-item five-Point Likert-scale instrument. Similarly, the Questionnaire on Chemistry-Related Attitudes (QOCRA), a shortened and modified version of the Test of Science-Related Attitudes (TOSRA) originally developed by [5] consists of 30 Likert-scale items [6]. Test of Science-Related Attitudes (TOSRA) having an important place in this process. The Attitude towards Chemistry Lessons Scale (ATCLS) by utilizing the "Enjoyment of Science Lessons", which is a sub-scale of TOSRA, has been developed [7]. The Attitude toward Chemistry Lessons Scale (ATCLS) is developed by Cheung in Chinese is a Likert-scale measure consisting of seven-point 12 items. The Attitude Scale toward Chemistry (ASTC), developed by Geban, Ertepinar, Yılmaz, Altın & Şahbaz in 1994.

In chemistry education, [8] used a semantic differential format to develop items to measure attitudes toward chemistry and chemistry self-efficacy as part of their Chemistry Attitudes and Experiences Questionnaire (CAEQ). The Attitudes towards the Subject of Chemistry Inventory (ASCI) [9] was given to first year undergraduate nursing students at two universities. The ASCI is a twenty item semantic differential where each item is quantified with a seven point Likert scale. ASCI was originally validated in the US with undergraduates majoring in chemistry [9], and subsequently, a shorter version of the original 20 item questionnaire was developed by [10], also in chemistry undergraduates. The Attitude toward the Subject of Chemistry Inventory (ASCIv1) developed by [9] to measure student attitudes toward chemistry as a discipline was recently used to quantify chemistry attitudes of college level students in the Pacific Islands [11]. This shortened version (ASCIv2) has been used in Australia and the US [12], and contains eight items in two subscales, 'intellectual accessibility' congruent with the cognitive component of attitude, and 'emotional satisfaction' congruent with the affective component of attitude.

Non test instruments are stated to have construct validity, if they can be used to measure concepts as defined. For example, to measure attitudes toward chemistry it is necessary to first define what attitudes toward chemistry, after which a new instrument is prepared to measure attitudes toward chemistry by definition. So the purpose of testing the validity of the construct is to obtain evidence about how far the measurement results give the constructs of measured variables.

In developing a psychological test, factor analysis is very relevant to test the construct validity. This technique is conducted by analyzing the items of the instrument contained in a number of certain factors. These items have an element of common factor merged into a new factor. According to [13] there are four basic steps to carry out the analysis of factors, namely (1) calculate all correlation matrix for each variable, (2) conducted factor extraction. Some methods on extraction include: varimax method, quartimax method and equamax method. The use of Varimax in Rotation options is preferred because, according to [14]. Varimax method proved very successful as an analytic approach to get orthogonal rotation i.e. rotation with 90 degree angle on a factor, (3) conducted the rotation. Rotation is a method used in factor analysis to reduce data from some variables into fewer factors when using the extraction method still can not be obtained clear factor component; And (4) names every factor.

This study focuses on the development of student attitude assessment instrument toward chemistry by testing the construct validity using factor analysis. Instruments are arranged in the form of questionnaire with Likert scale. The Likert scales produce the highest reliability among other formats and others suggest that a semantic differential format may reduce the acquiesce bias when measuring positive psychological constructs [12] argue that it is important to use instruments that avoid redundancy and assessment fatigue in order to obtain quality data. Shorter instruments can also be useful to overcome the fatigue of respondents in reading and responding to questions. Attitude scale composed of four attitudes aspects toward chemistry refers to the attitude assessment of the chemical that was developed [4] and [7] include the difficulty of the chemistry course, the interest of the chemistry course, the usefulness of chemistry course for students' future career, and the importance of chemistry for students' life with point distribution as outlined in Table 1.

The research problems are formulated as follows: 1) How is the validity of the construct of student attitude assessment instrument toward the developed chemistry? and 2) How is the reliability of the student attitude assessment instrument on the developed chemistry?

The result of research of student attitude appraisal instrument toward chemistry is expected to give significant contribution among others: 1) academically, the result of this research can enrich the repertoire of knowledge/library of education on assessment, particularly in the result of a standardized and reliable instrument for assessing chemical attitudes. 2). the results of this study can be empirical data for researchers to conduct further research.

2. RESEARCH METHOD

Instrument of attitude assessment toward chemistry result of content validity based on expert evaluation tested to 245 students consisted of 197 female and 48 male students of Department of Chemistry of Universitas Negeri Semarang (UNNES) in Semarang, Indonesia. According to [15], the sample is very weak when it is 50, weak when it is 100, the medium when it is 200, good when it is 300, very good when it is 500 and perfect when it is 1000. On the other hand, According to [16], the appropriate sample size for factor analysis must be up to 10 times of the variable (item) number. Taking into account all of these views, our sample (N = 200) is the medium level for factor analysis.

In this study the items in the scale adapted from the Test of Science-Related Attitudes (TOSRA) and Attitudes towards Chemistry Lessons Scale (ATCLS). Items that have been compiled, then given to three experts to evaluate the validity of the contents and legibility of the items. Expert validation results obtained 43 items (30 positive and 11 negative statements) are eligible (Table 1). Instruments using Likert scale from 1 = strongly disagree to 5 = strongly agree. Negative sentences were reverse scored. In this study, the width of the class interval is found by dividing the data range of the number of the selected class. Range = highest value - lowest value = 5 - 1 = 4, the class interval = 4/5 = 0.80. Thus, in order to evaluate the findings obtained from the data analysis, the intervals used: 4,21 - 5,00 is strongly agree, 3,41 - 4,20 agree, 2,61 - 3,40 neutral, 1,81 - 2.60 disagree and 1.00 - 1.80 is strongly disagree.

The methodological steps of this research are carried out with the following stages: (1) determining the "attitude toward chemistry" as the variables that the instrument will develop, (2) developing the conceptual and operational definition of the attitude variable to chemistry as a psychological response in the form of feeling or emotion person, (3) formulated points statement to chemicals an assessment instrument is based on a scale of semantic differential, (4) validating the theoretical to the group of expert panelists as judges for the selection of items, (5) the revised instrument, (6) conduct trial. Data obtained through trials are used to test the empirical validity and reliability of the product. (7) Analyzing the items by using factor analysis procedures and *alpha* internal consistency reliability, (8) implements.

The statistical test used is the Measure of Sampling Adequacy (MSA), Kaiser-Meyer-Olkin (KMO) measure of sampling adequacy and Bartlett test of sphericity. Measure of Sampling Adequacy (MSA) is used to determine whether a variable is adequate for further analysis (MSA > 0.5). This value can be seen in the value of anti-image correlation matrix. If the value then the variable is sufficient to be analyzed further. If an MSA value of the initial variables less than 0.5 must be excluded from the analysis, it is sorted from the variable whose MSA value is the smallest and is not used anymore.

Exploratory factor analysis was used to find out if the sub-scales identified by others [10] were present in the cohort of pre-service teacher students. The internal structure of all data was assessed using the principal axis factoring method with varimax rotation [17], Confirmatory Factor Analysis through the analysis of the Maximum Likelihood (ML) method. Internal consistencies of items loading into each identified sub-scale were estimated using Cronbach's. All the process of factor analysis was using SPSS for Windows Version 20.0

3. RESULTS AND ANALYSIS

3.1. Results

The results of the preliminary stage showed the Kaiser Meyer Olkin Measure of Sampling Adequacy (KMO MSA) as shown in Table 1.

Table 1. KMO and Bartlett's Test					
Kaiser-Meyer-Olkin Measure of Sampling Adequacy82					
	Approx. Chi-Square	3837.634			
Bartlett's Test of Sphericity	Df	903			
	Sig.	.000			

Table 1 provides information on two factor analysis assumptions. The results of the preliminary stage showed the Kaiser Meyer Olkin Measure of Sampling Adequacy (KMO MSA) of 0.824 with a significance of 0.000. The Bartlett Test (p < 0.001) showed that the correlation coefficients all zero and KMO> 0.70 indicates that the sample data suitable for factor analysis (Hair, Anderson, Tatham, & Black, 2006), which means good and significant. According to the criteria [13] from Bartleet test for test of sphericity also obtained Chi Square of 3837, 634 with a degree of freedom 903 in the significant of 0,000, which means that the correlation matrix is not an identity matrix so that it can be used a factor analysis.

Construct Validity and Reliability of Attitudes towards Chemistry of Science Teacher ... (Woro Sumarni)

Results of anti image correlation (AIC) can not be found with the test item MSA rates below 0.50 so for the next process all test items included again in the analysis. Furthermore, of the 43 items were included in the analysis root characteristic values obtained factor (*eigen values* > 1) in the table total variance explained) and the results display scree plot shows the high arched reduction was observed after twelve factors. From this, it can be said that the scale has twelve factors [18].

From the Total Variance Explained used to confirm the validity of the construct, obtained the twelve construction factors that consisted of 43 items are able to explain 63.472% of the total variant. Thus it can be concluded that the instrument attitude assessment on chemistry developed is valid in terms of construct validity. In addition to the factor charge variance that can explain the variance of attitudes toward chemistry, the cumulative charge of the twelve factors is 63.472% variance.

In rotated matrix component, it is showing no item passing through the charge factor "cut off point" < 0.30. The largest factor loads are in item 42 of 0.829 and the smallest point 12 is 0.324. Thus all statements are valid, but for items 27,25,33,12,23,32,20 and 31 are not included in the further analysis because of the factor load <0.5. After the release of 8 items make the number of items remaining as many as 35 items. The results of computation after the thirty-five items in the re-analysis produced KMO and Barttlett's Test as shown in Table 2.

Table 2. KMO and Bartlett's Test						
Kaiser-Meyer-Olkin Measure of S	Sampling Adequacy.	.800				
	Approx. Chi-Square	2812.016				
Bartlett's Test of Sphericity	Df	595				
	Sig.	.000				

From Table 2 the value of KMO MSA is 0.800. This value is a test of analytical requirements included in either category. This means exact factor analysis to analyze data in the form of correlation matrices. Results of Bartlett's test indicated the test of Sphericity of 2812.016 on 595 degrees of freedom with a significant level of 0000 is very good. Thus the correlation matrix formed is not the identity matrix, so factor analysis can proceed. Furthermore, of the 35 items were included in the analysis root characteristic values obtained factor (eigen values> 1) in the table and the total variance explained scree plot display results as shown in Table 3 and Figure 1.

	Initial Eigenvalues Extraction Sums of Squared Loadings Rotation Sums of Squared Loadings							red Loadings	
Component		% of	Cumulative		% of	Cumulative		% of	Cumulative
	Total	Variance	%	Total	Variance	%	Total	Variance	%
1	7.018	20.050	20.050	7.018	20.050	20.050	3.012	8.605	8.605
2	2.754	7.868	27.919	2.754	7.868	27.919	2.617	7.478	16.083
3	2.243	6.408	34.327	2.243	6.408	34.327	2.467	7.050	23.132
4	2.076	5.932	40.258	2.076	5.932	40.258	2.375	6.786	29.918
5	1.485	4.243	44.502	1.485	4.243	44.502	2.263	6.465	36.383
6	1.411	4.032	48.533	1.411	4.032	48.533	2.202	6.291	42.674
7	1.382	3.949	52.482	1.382	3.949	52.482	2.175	6.213	48.887
8	1.228	3.509	55.990	1.228	3.509	55.990	1.776	5.074	53.961
9	1.120	3.200	59.191	1.120	3.200	59.191	1.565	4.471	58.432
10	1.020	2.914	62.105	1.020	2.914	62.105	1.285	3.673	62.105
11	.978	2.795	64.900						
12	.930	2.658	67.558						
13	.880	2.515	70.073						
14	.860	2.458	72.531						
15	.766	2.189	74.720						
16	.757	2.163	76.884						
17	.707	2.019	78.903						
18	.644	1.841	80.744						
19	.619	1.767	82.511						
20	.564	1.611	84.122						
21	.553	1.581	85.703						
22	.537	1.536	87.239						
23	.476	1.360	88.599						
24	.458	1.308	89.907						
25	.435	1.242	91.149						
26	.428	1.223	92.371						
27	.385	1.100	93.472						
28	.372	1.063	94.534						
29	.346	.989	95.524						
30	.318	.910	96.434						
31	.302	.864	97.298						
32	.268	.766	98.064						
33	.258	.737	98.801						
34	.223	.637	99.438						
35	.197	.562	100.000						
Extraction Method: Principal Component Analysis.									

Table 3. Total Variance Explained

In Table 3, the total explained variance of 35 points was put into the factor analysis showed that the number of factors attitudes toward chemistry is 10, according to many indicators estimated. Thus it can be said that the instrument of attitude assessment of chemistry is valid in view of the validity of the construct. In addition to the factor charge variance that can explain the attitude toward chemistry, cumulatively the ten factors are equal to 62.105% variance.

Figure 1 shows display of scree plot is the explanation for total variance explained tables in graphic form. *Scree plot* diagram shows how the downward trend Eigen value that is used to subjectively determine the number of factors used.




Figure 1. Scree plot diagram

Construct Validity and Reliability of Attitudes towards Chemistry of Science Teacher ... (Woro Sumarni)

In Table 4 of rotated matrix component, it is showing no item passing through the charge factor "cut off point" <0.30. The biggest factor loads are in item 42 of 0.827 and the smallest point 9 is 0.438. Thus, all statements are valid. However, for items 9, 26, 40 are excluded from further analysis because the factor load is < 0.5. Thus the number of items in the instrument of attitude evaluation of final chemistry as much as 32 items is valid items in terms of the validity of the construct and has a load factor of > 0.5. In addition to the factor charge variance that can explain the attitude toward chemistry, cumulatively the ten factors are equal to 62.105% variance.

I 2 3 4 5 6 7 8 9 10 VAR00015 .738 .738 .738 .			Та	ble 4. I	Rotated	d Comp	onent N	latrix ^a			
VAR00015 .738 VAR00016 .645 VAR00008 .607 VAR00009 .481 .438 .438 VAR00041 .595 VAR00039 .501 .481 .438 VAR00043 .809 VAR00043 .809 VAR00010 .702 VAR00011 .629 VAR00024 .517 .435 .345 VAR00013 .420 .400002 .822 VAR0001 .618 VAR0002 .822 VAR0001 .618 VAR0002 .817 VAR0003 .611 VAR0003 .611 VAR0003 .611 VAR0004 .438 .765 VAR0018 .727 .726 VAR00017 .726 VAR00035 .633 VAR00036 .643 VAR00035 .694 VAR00026 .384 VAR0007 .314 VAR00026 .3							*				
VAR00016 .645 VAR00008 .607 VAR00014 .595 VAR00009 .481 .438 VAR00042 .827 VAR00043 .809 VAR00011 .653 VAR00010 .702 VAR00011 .629 VAR00024 .517 VAR00013 .420 .507 .345 VAR00013 .420 VAR00013 .420 VAR00004 .668 VAR0001 .618 VAR0001 .618 VAR0002 .817 VAR0003 .611 VAR0003 .611 VAR0003 .611 VAR0003 .611 VAR0003 .765 VAR0004 .438 VAR0018 .743 VAR0019 .727 VAR00017 .726 VAR00035 .633 VAR00036 .683 VAR00035 .694 VAR00026 .384 VAR00026 .384			2	3	4	5	6	7	8	9	10
VAR00006 .613 VAR00008 .607 VAR00014 .595 VAR00042 .827 VAR00043 .809 VAR00039 .501 VAR00039 .501 VAR00010 .702 VAR00011 .629 VAR00024 .517 VAR00021 .507 .345 .366 VAR0002 .822 VAR00003 .828 VAR00004 .668 VAR0002 .822 VAR00003 .618 VAR0004 .6665 VAR0005 .517 VAR0002 .822 VAR0003 .618 VAR0004 .6665 VAR0005 .611 VAR0003 .611 VAR0003 .611 VAR0003 .611 VAR0004 .438 .306 .498 VAR00017 .727 VAR0003 .620 VAR0003 .620 VAR0003 .620 VAR0003 <											
VAR0008 .607 VAR00014 .595 VAR0002 .827 VAR00042 .827 VAR00043 .809 VAR00041 .653 VAR00010 .702 VAR00010 .702 VAR00024 .531 VAR00015 .531 .507 .345 VAR00021 .507 VAR00003 .828 VAR00003 .822 VAR00004 .668 VAR0002 .817 VAR0002 .618 VAR0003 .611 VAR0003 .611 VAR0003 .611 VAR0004 .438 .306 .498 VAR0003 .765 VAR0004 .438 .306 .498 VAR00019 .727 VAR00017 .726 VAR00035 .6020 VAR00035 .6020 VAR00036 .633 VAR00035 .6020 VAR00035 .6020 VAR00035											
VAR00014 .595 VAR00009 481 .438 VAR00042 .827 VAR00043 .809 VAR00041 .653 VAR00010 .702 VAR00010 .702 VAR00011 .629 VAR00024 .517 455 VAR00013 420 .500 VAR00003 .828 .400002 VAR00004 .668 .373 VAR00005 .618 .373 VAR0001 .618 .373 VAR0002 .817 .438 VAR0003 .611 .438 VAR0003 .611 .438 VAR0003 .611 .438 VAR0003 .611 .743 VAR0004 .438 .306 .498 VAR0005 .727 .683 .663 VAR00017 .726 .643 .643 VAR00035 .6020 .314 .694 VAR00035 .6020 .314 .694 VAR00035 .6020 .314 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
VAR0009 -481 .438 VAR00042 .827 VAR00043 .809 VAR00041 .653 VAR00039 .501 .320 .303 VAR00010 .702 .480 VAR00020 .531 .388 .455 VAR00024 .517 455 VAR00021 .500 .345 366 VAR0003 .822 .4828 .480002 VAR0002 .822 .480002 .817 VAR0002 .611 .480 .473 VAR0003 .611 .480 .4743 VAR00030 .611 .727 .480 VAR0004 .668 .727 VAR0005 .726 .748 .683 VAR0003 .620 .314 .694 VAR0003 .620 .314 .694 VAR0002 .384 .317 .440 VAR0003 .620 .314 .694 VAR0003 .620 .314 .694 VAR0002 .384 .317											
VAR00042 .827 VAR00043 .809 VAR00041 .653 VAR00039 .501 .320 .303 VAR00010 .702 VAR0005 .531 .388 VAR00024 .517 455 VAR00013 .420 .500 VAR00013 .420 .500 VAR00013 .420 .500 VAR00010 .828 .828 VAR0001 .618 .373 VAR0002 .817 .480 VAR0003 .611 .767 VAR0003 .611 .727 VAR0003 .727 .726 VAR0001 .726 .748 VAR0003 .683 .743 VAR0017 .726 .748 VAR00036 .683 .694 VAR00026 .384 .317 .440 VAR00026 .384 .317 .832 VAR00026 .384 .317 .440 VAR00026 .384 .317 .440 VAR00026 <td></td> <td></td> <td></td> <td>120</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>				120							
VAR00043 .809 VAR00041 .653 VAR00010 .702 VAR00010 .702 VAR0001 .629 VAR00024 .517 .507 .345 VAR00013 .420 .500 .828 VAR00003 .828 VAR00004 .668 VAR0001 .618 VAR0002 .817 VAR0003 .611 VAR0003 .611 VAR0003 .611 VAR0003 .611 VAR0004 .665 VAR0003 .611 VAR0003 .611 VAR0004 .438 .765 VAR0004 VAR0018 .743 VAR0019 .727 VAR00017 .726 VAR00036 .683 VAR00035 .620 VAR00036 .694 VAR00026 .384 VAR00026 .384 VAR00026 .384 VAR00035 .317 VAR00026 <		481		.438							
VAR00041 .653 VAR00039 .501 .320 .303 VAR00010 .702											
VAR00039 .501 .320 .303 VAR00010 .702											
VAR00010 .702 VAR00011 .629 VAR00025 .531 .388 VAR00021 .507 .345 366 VAR00013 420 .500 .345 .366 VAR00003 .828 .420 .507 .345 .366 VAR00003 .828 .420 .507 .345 .366 VAR00004 .668 .373 .373 .373 VAR0002 .822 .480 .373 .373 VAR0002 .817 .465 .455 .480 .373 VAR0002 .665 .611 .767 .480 .480 .373 VAR0030 .611 .767 .767 .743 .743 .743 .743 .743 .743 .727 .748 .743 .748 .743 .748 .694 .743 .694 .4400 .832 .694 .832 .832 .832 .832 .832 .832 .832 .832 .832 .832 .832 .832 .832 .832 .832 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>											
VAR00011 .629 VAR0005 .531 .388 VAR00024 .517 .455 VAR00013 .420 .507 .345 .366 VAR00013 .420 .500 . . VAR00003 .828 . . . VAR00004 .668 .373 .373 . VAR0002 .822 VAR0001 .618			.501			.320	.303				
VAR00005 .531 .388 VAR00024 .517 .455 VAR00011 .507 .345 .366 VAR00003 .828 VAR00002 .822 VAR00002 .822 .373 VAR00003 .668 .373 VAR0002 .817 .480 VAR0003 .665 .665 VAR00037 .767 .767 VAR0004 .438 .306 .498 VAR00019 .727 .726 VAR00034 .726 .748 VAR00035 .620 .314 VAR00036 .683 .694 VAR0002 .832 .832 VAR0002 .8440 .832											
VAR00024 .517 455 VAR0001 .507 .345 366 VAR0003 .828											
VAR00021 .507 .345 366 VAR00013 420 .500 VAR00003 .828 VAR00002 .822 VAR00004 .668 .373 VAR00001 .618 VAR00029 .817 VAR0003 .665 VAR0003 .611 VAR0003 .611 VAR00037 .767 VAR0003 .765 VAR0004 .438 VAR00019 .727 VAR00019 .727 VAR00034 .743 .768 VAR00035 .620 314 VAR00026 .384 317 .440 VAR00026 .384 317 .832 Extraction Method: Principal Component Analysis. .832 .832							.388				
VAR00013 420 .500 VAR00003 .828 VAR00004 .668 .373 VAR00001 .618 .373 VAR00028 .665 .665 VAR00037 .767 .767 VAR00040 .438 .306 .498 VAR00019 .727 .743 .727 VAR00017 .726 .748 .683 VAR00036 .613 .683 .694 VAR00028 .6317 .440 .812 VAR00017 .726 .314 .694 VAR00026 .384 317 .440 VAR00026 .384 317 .832 Extraction Method: Principal Component Analysis. .832 .832 Rotation Method: Varimax with Kaiser Normalization. .832 .832											
VAR00003 .828 VAR00002 .822 VAR00001 .668 .373 VAR00029 .817 VAR00030 .665 VAR00030 .611 VAR00038 .765 VAR00018 .743 VAR00017 .727 VAR00036 .683 VAR00037 .726 VAR00034 .6683 VAR00017 .726 VAR00036 .694 VAR00028 .694 VAR00036 .384 VAR00026 .384 317 VAR00026 .384 .317 VAR0007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832								.345		366	
VAR00002 .822 VAR00004 .668 .373 VAR00029 .817 VAR00028 .665 VAR00030 .611 VAR00037 .767 VAR00040 .438 .306 .498 VAR0018 .743 VAR00019 .727 VAR00036 .683 VAR00037 .726 VAR00036 .683 VAR00036 .694 VAR0022 .694 VAR0026 .384 VAR0007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832		420		.500							
VAR00004 .668 .373 VAR0001 .618 .373 VAR00029 .817 .817 VAR00030 .665 .665 VAR00037 .767 .767 VAR00040 .438 .306 .498 VAR00018 .743 .743 VAR00017 .727 .726 VAR00034 .748 .683 VAR00035 .620 .314 VAR00022 .694 .894 VAR00026 .384 317 .440 VAR00007 .832 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832											
VAR00001 .618 VAR00029 .817 VAR00030 .665 VAR00037 .767 VAR00038 .765 VAR00018 .743 VAR00019 .727 VAR00034 .748 VAR00035 .683 VAR00036 .683 VAR00036 .683 VAR00036 .683 VAR00035 .620 314 VAR00026 .384 317 .440 VAR0007 .832 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832											
VAR00029 .817 VAR00028 .665 VAR00030 .611 VAR00037 .767 VAR00038 .765 VAR00040 .438 VAR0018 .743 VAR00019 .727 VAR00034 .748 VAR00035 .683 VAR00026 .384 VAR00027 .694 VAR0007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .817											.373
VAR00028 .665 VAR00030 .611 VAR00037 .767 VAR00038 .765 VAR00040 .438 VAR00019 .727 VAR00019 .726 VAR00036 .683 VAR00035 .663 VAR00022 .694 VAR00026 .384 VAR0007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832					.618						
VAR00030 .611 VAR00037 .767 VAR00038 .765 VAR00040 .438 .306 .498 VAR00018 .727 .726 VAR00017 .726 .743 VAR00036 .683 .498 VAR00037 .727 .748 VAR00036 .663 .663 VAR00020 .694 .694 VAR00021 .694 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832											
VAR00037 .767 VAR00038 .765 VAR00040 .438 .306 .498 VAR00018 .743 VAR00019 .727 VAR00017 .726 VAR00036 .683 VAR0002 .694 VAR00026 .384 317 .440 VAR00007 .832 Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization. .832	VAR00028										
VAR00038 .765 VAR00040 .438 .306 .498 VAR00018 .743 .743 VAR00019 .727 .727 VAR00034 .726 .748 VAR00035 .683 .683 VAR00022 .694 .694 VAR00026 .384 317 .440 VAR00007 .832 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832	VAR00030					.611					
VAR00040 .438 .306 .498 VAR00018 .743 VAR00019 .727 VAR00017 .726 VAR00036 .683 VAR00035 .620 VAR00022 .694 VAR0007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .694	VAR00037										
VAR00018 .743 VAR00019 .727 VAR00017 .726 VAR00034 .748 VAR00035 .683 VAR0002 .694 VAR00026 .384 317 VAR0007 .832 Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization.	VAR00038										
VAR00019 .727 VAR00017 .726 VAR00034 .748 VAR00035 .683 VAR0002 .694 VAR00026 .384 VAR0007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832	VAR00040		.438			.306	.498				
VAR00017 .726 VAR00034 .748 VAR00036 .683 VAR00035 .620 VAR00022 .694 VAR00026 .384 VAR00007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832	VAR00018										
VAR00034 .748 VAR00036 .683 VAR00025 .620 VAR00022 .694 VAR00026 .384 317 .440 VAR00007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832	VAR00019							.727			
VAR00036 .683 VAR00035 .620 VAR00022 .694 VAR00026 .384 VAR00007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .694	VAR00017							.726			
VAR00035 .620 314 VAR00022 .694 VAR00026 .384 317 .440 VAR00007 .832 Extraction Method: Principal Component Analysis. .832 Rotation Method: Varimax with Kaiser Normalization. .832	VAR00034										
VAR00022 .694 VAR00026 .384317 .440 VAR00007 .832 Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization.	VAR00036										
VAR00026 .384317 .440 VAR00007 .832 Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization.	VAR00035								.620		
VAR00007 .832 Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization.	VAR00022									.694	
Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization.	VAR00026	.384					317			.440	
Rotation Method: Varimax with Kaiser Normalization.	VAR00007										.832
	Extraction M	ethod: Pr	incipal C	ompone	nt Analy	/sis.					
a. Rotation converged in 12 iterations.	Rotation Me	thod: Var	imax wi	th Kaise	r Norma	lization.					
	a. Rotation co	onverged	in 12 iter	rations.							

Each factor is named according to the construct described by the item. The factor name considers the charge and statement sounds on each item that describes the constituent aspects. It turns out that after the distribution of factor loads, item 7 on the tenth factor has the same name with the first factor, so item 7 is entered into the first factor. The distribution of the grading instrument on chemical assessment to 9 factors is presented in Table 5.

Table 5. The distribution of the grading instrument on chemical assessment

Distribution of item	Factor	Nama Faktor
Q6,Q7,Q8. Q14, Q15, Q16	1	Difficulties in concept applications
Q39, Q41, Q42, Q43	2	The importance of studying chemistry for life
Q5, Q10, Q11, Q13, Q21, Q24	3	interest in learning concepts
Q1, Q2, Q3, Q4	4	Difficulty in understanding the concepts
Q28, Q29, Q30	5	The importance of studying chemistry for life
Q37,Q38	6	Chemistry has an effect on life
Q17, Q18, Q19	7	Interest in experimentation
Q34, Q35, Q 36	8	Chemical relation with technology and life
Q22	9	Chemical interest to solve problem.

The first factor relates to "Difficulties in concept applications." The items under this factor are related to the difficulties of the students on the application of chemical concepts in everyday life. This factor consists of 5 items with a load between 0.595 and 0.738 and Explains 20.1% of the total variant. One example of the statement in factor 1 is, "I am not able to interpret the world around me using chemical knowledge".

The statement of the second factor is related to "The importance of studying chemistry for life". Factor 2 consists of 4 items. The loadings factor of the items listed under this factor ranges from 0.501 to 0.827 explains 7.9% of the total variant. Two examples of the statements under factor 2 are: "Chemistry is useful for solving problems in everyday life" and "Chemistry is our hope to solve various environmental problems". The third factor is related to "Interest in learning the concept of chemistry". Factor 3 consists of 6 items. The loadings factor of the items listed below this factor ranges from 0.500 to 0.702 explains 6.4% of the total variant. Three examples of the statements in factor 3 are; "The chemistry lessons are my favorite subjects.", "I want to get more chemistry lessons", and "chemistry lesson is a very interesting subject".

Maximum likelihood estimation methods were used and the input for each analysis was the covariance matrix of the items. Computation with maximum probability confirmatory method (ML) in the first test, obtained the suitability of goodness of test of 0.90, as well as the maximum probability (ML) in the second test obtained the suitability of goodness of fit test of 0.91 which indicates the fit model or models to be accepted which means very significant. The goodness-of-fit of the models was evaluated using the absolute goodness-of-fit indices. The results of data processing analysis shows that the construct is used to establish a research model, the confirmatory factor analysis process has met the goodness of fit criteria that have been set. Probability value of goodness of fit test showed the value of 0.00 (<0.05), and RMSEA 0.052 (< 0:08). Fit indices generated by the LISREL program Showed that the models fitted well the Minimum Data Fit Function Chi-Square = 282.54 (P = 0.00). Following Marsh, Balla, and Hau (1996) & (Hoyle, 1995) in (Schaufeli & Bakker, 2004), three relative goodness-of-fit measures were calculated: (1) normed Fit Index (NFI); (2) Non-Normed Fit Index (NNFI); and (3) Comparative Fit Index (CFI). For all three indices are relatively fit, as a rule of thumb, values greater than 0.90 are considered as indicating a good fit. Results of compatibility tests normed Fit Index (NFI) = 0.91, Non-normed Fit Index (NNFI) = 0.91 and Comparative Fit Index (CFI) = 0.91 so the model has been declared fit.

Testing of internal consistency of alpha reliability coefficient in the first and the second tests shows the coefficient values increase. The reliability of the scale in the first trial was $\alpha = 0.86$, obtained from the sub-scale reliability coefficients of 0.90; 0.91; 0.82 and 0.81. The reliability coefficient in the second test of 0.91 obtained from the sub-scale coefficient of 0.92 each; 0.94; 0.88 and 0.90. The Cronbach alpha coefficient for the whole scale is found at 0.91 for the 32 items. Nunnally stated a very dependable scale if Cronbach Alpha is ≥ 0.80 , $\alpha < 1.00$. Spooren et al. [19] asserted that the Cronbach alpha value above 0.70 is sufficient George and Mallery [20] declared that Alpha values greater than 0.9 is excellent and greater than 0.8 is good. Therefore, it can be said that items on a scale developed are reliable measurement tools.

3.2. Discussion

Validity testing is conducted to determine whether the measuring tool used in this study really measure what to be measured. In this research has done two stages of validity test, that is content validity and construct validity. In this research for content validity conducted through focus group discussions with expert's evaluation chemical education and literacy experts in one teacher education in Central Java. The validity of constructs aims to find out the extent to which the measurement scores can illustrate the theoretical constructs underlying the measuring instrument. For the fulfillment of this construct validity factor analysis has been done to test whether the item or indicator items used can confirm a factor or construct or variable. Technically this is conducted by co-varving all variables observed (manifest or observed variables). Factor analysis gives the best item description. The best items converge on a factor. Items that have a high correlation with one factor have a low correlation with other

factors. Factor analysis provides confirmation of the ten factors that make up the scale. Items that highly correlate with one factor become the final item.

Based on the factor analysis on the first test used the exploratory method, which initially extraction shows there are as many as 12 factors. The extraction of all the factors obtained by item of statement as much as 43 items. Of the twelve such factors gave the percentage of total variance 63, 472%. All loading factor are worth over 0.30. Computing with maximum probability confirmatory method (ML) obtained suitability test of 0.90 goodness of fit model or models indicate acceptable. Testing by factor analysis on the second test using confirmatory method, initially extraction showed there were as many as 10 factors. The result of 10 factor extraction was obtained after the item statement was issued as many as 8 items. The results of the extraction gave the cumulative variance of the ten factors of 62.105%. Computing with Maximum Likelihood obtained suitability goodness of fit test of 0.91 indicates a fit model or models to be accepted, which means very significant. However, after the factor charge is distributed, there is an item on the tenth factor that has the same name as the first factor, so that the item is inserted into the first factor. Thus, the distribution of the assessment items on chemical assessment becomes 9 factors.

Given the data obtained from a sample of prospective chemistry teacher students in one of the teacher education, this study provides evidence for the reliability and validity of the attitude scale on chemistry. In line with what has been discovered by [21], found that the scale of attitudes toward chemistry developed, in both testing has produced test requirements analysis with Kaiser Meyer-Olkin about the measure of sampling adequacy (KMO MSA) respectively 0.824 and 0.800 which belong to the Category is very good. Something similar to Bartlett's test for test of sphericity, with degrees of freedom df = 903 and a significance level of 0,000 on the first attempt, and with degrees of freedom df = 595 and a significance level of 0.000 at the second trial. Computing with maximum probability confirmatory method (ML) obtained suitability of the goodness of a test of 0.90 in the first test indicates a fit model or models to be accepted, as well as in the second test obtained goodness of a test of 0.91.

The developed attitude scale also shows good internal consistency reliability, as above the suggested threshold of 0.91 in the trial. Internal consistency reliability of 0.80 has shown good reliability [19],[20],[22]. The intercorrelation of all factors after item exclusion at the low factor and EFA correlation stages yielded eleven items that were killed. This shows that the thirty-two items of attitude scale developed meet the valid and reliable criteria.

For practical applications, this scale can be used as an instrument in educational research. Scale can help in determining the specialization in high school. In fact, the scale can give information what majors should be taken in the continuation of their studies. With the availability of this attitude scale, chemistry teachers can know students' attitudes to learning in order to optimize academic achievement, because the attitude of students towards subjects is the biggest predictors in the prediction of success in learning. By knowing early on the attitude of students to the lesson, there are various steps that can be done in optimizing the success of learning.

4. CONCLUSION

Based on the examination of the validity of constructs using factor analysis and internal consistency/reliability on the scale developed, it can be concluded that 32 items of statements on the instrument of assessing attitudes toward chemicals significantly contribute to the indicator. From Table 6 it can be seen that in two experimental tests conceptually 9 factors are fewer than theoretically estimated, namely: (1) Difficulties in the application of concepts, (2) the importance of studying chemistry for life, (3) interest in learning concepts, 4) Difficulty in understanding the concepts, (5) The importance of studying chemistry for life, (6) Chemistry has an effect on life, (7) Interest in experimentation, (8) Chemical relation with technology and life, and (9) Chemical interest to solve problem.

The scale developed in this study can be used by researchers in experimental and descriptive studies. However, since my research has only been done in one teacher education, I plan to conduct further research to test the reliability and validity of the constructs of the attitude scale at other teacher educations. Hopefully, the scale of attitudes toward chemistry that has been developed can serve as a useful tool for other science teachers to gather information about their students' attitudes toward the subject especially at the beginning and end of the school year.

ACKNOWLEDGEMENTS

The authors expressed gratitude, especially to student-teacher who have volunteered willing to be the subject of research.

REFERENCES

- A. Kahveci, "Assessing High School Students' Attitudes Toward Chemistry With A Shortened Semantic Differential," Chem. Educ. Res. Pract., vol. 16, pp. 283-292, 2015.
- [2] A. H. Eagly and S. Chaiken, "The psychology of attitudes," Fort Worth, TX: Harcourt Brace Jovanovich, 1993.
- J. Osborne, et al., "Attitudes towards science: A review of the literature and its implications," International Journal of Science Education, vol/issue: 25(9), pp. 1049–1079, 2003.
- [4] K. Salta and C. Tzougraki, "Attitudes toward chemistry among 11th grade students in high schools in Greece," *Science Education*, vol. 88, pp. 535–547, 2004.
- [5] B. Fraser, "Test of Science Related Attitudes (TOSRA)," The Australian Council for Educational Research Limited, Melbourne, Victoria, Australia, 1981.
- [6] Q. C. Lang, et al., "Student perceptions of chemistry laboratory learning environments, student-teacher interactions and attitudes in secondary school gifted education classes in Singapore," *Research in Science Education*, vol. 35, pp. 299-321, 2005.
- [7] D. Cheung, "Developing a scale to measure students attitudes toward chemistry lessons," International Journal of Science Education, vol/issue: 31(16), pp. 2185-2203, 2009.
- [8] J. Dalgety, et al., "Development of Chemistry Attitudes and Experiences Questionnaire (CAEQ)," J. Res. Sci. Teach., vol/issue: 40(7), pp. 649–668, 2003.
- [9] C. Bauer, "Attitude towards chemistry: A semantic differential instrument for assessing curriculum impacts," *Journal of Chemical Education*, vol/issue: 85(10), pp. 1440—1445, 2008.
- [10] X. Xu and J. Lewis, "Refinement of a chemistry attitude measure for college students," *Journal of Chemical Education*, vol. 88, pp. 561–568, 2011.
- [11] S. J. Brown, et al., "Quantifying attitude to chemistry in students at the University of the South Pacific," Chem. Educ. Res. Pract., vol. 15, pp. 184-191, 2014.
- [12] A. R. Brandriet, et al., "Diagnosing changes in attitude in first-year college chemistry students with ashortened version of Bauer's semantic differential," *Chemistry Education Research and Practice*, vol. 12, pp. 271-278, 2011.
- [13] M. Norusis, "SPSS for Windows Professional Statistics Release 6,0," Chicago: Marketing Department SPSS Inc, 1993.
- [14] J. Hair, et al., "Multivariate data analysis," New Jersey, Prenctice Hall, Upper Saddle River, 2006.
- [15] A. L. Comrey and H. B. Lee, "A first course in factor analysis," Hillsdale, New Jersey: Erlbaum, 1992.
- [16] R. B. Kline, "Principles and Practise of Structural Equation Modeling: a Researcher's Guide," New York, Guilford Press, 1998.
- [17] R. Gorusch, "Exploratory factor analysis: Its role in item analysis," *Journal of Personality Assessment*, vol. 68, pp. 532—560, 1997.
- [18] A. Field, "Discovering statistics using SPSS," Sage publications ltd., UK: London, 2012.
- [19] P. Spooren, et al., "Student evaluation of teaching quality in higher education: development of an instrument based on 10 Likert-scales," Assessment & Evaluation Higher Education, vol. 32, pp. 667-679, 2007.
- [20] D. George and P. Mallery, "SPSS for windows step by step 11.0 update," New York, Allyn & Bacon, 2003.
- [21] W. B. Schaufeli and A. Bakker, "Job demands, job resources, and their relationship with burnout and engagement: a multi-sample study," *J. Organiz. Behav.*, vol. 25, pp. 293–315, 2004.
- [22] K. Singh and S. J. Jha, "The Positive Personality Traits Questionnaire: Construction and Estimation of Psychometric Properties," *Psychological Study*, vol/issue: 55(3), pp. 248–255, 2010.